

Fluid Hammer Arrestors MM-500ASCP 3/8" Compression

www.pppinc.net

- 1.) Flush line thoroughly prior to installation.
- 2.) Remove 5/8" nut and compression ring from angle stop.
- 3.) Push nut onto stubout followed by compression ring.
- 4.) Insert angle stop into stubout.
- 5.) Slide nut and compression ring onto angle stop and tighten.
- 6.) Attach supply line (not provided) to angle stop and to toilet tank.
- 7.) Open angle stop by turning handle counter clockwise.



Precision Plumbing Products of Portland, Oregon (USA) warrants our manufactured products to be free from defects and workmanship under normal use and service. The sole and exclusive remedy for our manufactured products that do not conform to this limited and express warranty and our sole obligation under this limited and express warranty is to replace the defective part or product during the three year period after original installation. This warranty excludes any parts or products that are modified or improperly installed or installed where PH levels, chemical conditions or electrolysis prematurely degrade the product. We specifically disclaim any warranties or responsibility for defects due to quality, material, dimensional tolerances or quality control of any fitting or other third party supplied parts or components. EXCLUSIONS OF ALL OTHER WARRANTIES INCLUDING IMPLIED WARRANTIES: All other warranties, including the implied warranties of MERCHANTABILITY and fitness for a particular purpose, are EXCLUDED from this transaction and shall not apply to goods sold by us. The above warranties are in lieu of all other warranties and representations, express or implied, and all other obligations or liabilities on our part. We shall not be liable for consequential damages, loss of profit, interruption of business or any other special, incidental, or punitive damages suffered or sustained by Customer. Any part or products being returned under this warranty must have prior authorization by us. Any part or product received by us without a return of goods authorization will be returned to the shipper. All returned merchandise must be prepaid by shipper. Our personnel, including salespeople, as well as independent distributors and sales agents may have made oral statements about our products. Those statements are not warranties by us and should not be relied on by the buyer/customer/user. If you use this product you are agreeing to this warranty contract between us. This writing constitutes the final expression of the part

Precision Plumbing Products

Division of JL Industries, Inc.

PPP

<u> Ki</u>ndustries, inc.

802 SE 199th Avenue Portland, Oregon 97233

T (503) 256-4010 F (503) 253-8165







MI-WHA-07 Rev 02/10