

# PRECISION PLUMBING PRODUCTS 2016 - LIST PRICE SCHEDULE



**ISO 14001:2004  
CERTIFIED**



**ISO 9001:2008  
CERTIFIED**

802 SE 199th Ave • Portland, Oregon 97233 • 503-256-4010

*"Specify with confidence – install with pride"®*

FAX # 503-253-8165

WEB SITE: [www.pppinc.net](http://www.pppinc.net)

Made in the U.S.A.

# PRECISION PLUMBING PRODUCTS LIST PRICE SCHEDULE

## STANDARD WATER HAMMER ARRESTORS

### SYSTEM RATED PLUS HAMMER ARRESTOR (THREADED CONNECTION)

PART NUMBER	DESCRIPTION (P.D.I.)	SIZE (N.P.T.)	LIST PRICE
SC-500	"A" <b>LEAD FREE</b>	1/2"	\$ 35.00
SC-750	"B"	3/4"	39.00
SC-1000	"C"	1"	66.00

Normal operating pressure 35 to 250 PSIG Spike pressure 400 PSIG.

Also available in BSP threads quoted separately.

NO ACCESS DOOR REQUIRED. ASSE and IAPMO Listed.

**NOTE: ADD 20% SURCHARGE FOR SPECIAL NITROGEN CHARGE.**

ASSE and IAPMO Certified.



### SYSTEM RATED HAMMER ARRESTOR (THREADED CONNECTION)

PART NUMBER	DESCRIPTION (P.D.I.)	CONNECTION (N.P.T.)	LIST PRICE
SC-500A	"A" <b>LEAD FREE</b>	1/2"	\$ 16.00
SC-750B	"B"	3/4"	20.00
SC-1000C	"C"	1"	49.00
SC-1250D	"D"	1"	67.00
SC-1500E	"E"	1"	96.00
SC-2000F	"F"	1"	140.00

ASSE and IAPMO Certified. Meets CA low lead requirements.



### SWEAT/KWIK-PRESS HAMMER ARRESTORS™

PART NUMBER	DESCRIPTION (P.D.I.)	CONNECTION (KWIK-PRESS/SWEAT)	LIST PRICE
SWA-500A	"A" <b>LEAD FREE</b>	1/2"	\$ 16.00
SWA-750B	"B"	3/4"	19.00
SWA-1000C	"C"	1"	49.00
SWA-1250D	"D"	1"	61.00
SWA-1500E	"E"	1"	93.00
SWA-2000F	"F"	1"	140.00

Kwik-Press models may be used with quick connect fitting systems.

ASSE and IAPMO Certified. Meets CA low lead requirements.



### STAINLESS STEEL BELLOWS HAMMER ARRESTORS™ (THREADED CONNECTION)

PART NUMBER	DESCRIPTION (P.D.I.)	CONNECTION (N.P.T.)	LIST PRICE
SBHA-500A	"A" <b>LEAD FREE</b>	3/4"	\$ 225.00
SBHA-750B	"B"	1"	457.00
SBHA-1000C	"C"	1"	684.00
SBHA-1250D	"D"	1"	1713.00
SBHA-1500E	"E"	1"	1934.00
SBHA-2000F	"F"	1"	2377.00



# MINI-MAX ARRESTORS

## “MINI-MAX”™ (RESIDENTIAL SINGLE FIXTURE) “AA”


PART NUMBER	DESCRIPTION	SIZE	LIST PRICE
		<b>LEAD FREE</b>	
MM-500TH	THREADED	1/2" NPT	\$ 13.40
MM-500SWA	SWEAT	1/2" SWEAT	13.20
MM-5001FCT	FEMALE	3/8" COMP "T" X FEMALE COMP "T"	19.30
MM-5002FCT	FEMALE	5/8" COMP "T" X FEMALE COMP "T"	19.60
MM-5003CPT	COMPRESSION	3/8" COMP "T" X COMP "T"	17.25
MM-500L	LAUNDRY	3/4" MALE X FEMALE SWIVEL HOSE	21.65
MM-500TS	TUB/SHOWER	1/2" SWEAT X 1/2" MALE BRANCH	18.00
MM-500FPF	CPVC FTNG	1/2" FEMALE FITTING	15.15
MM-500MPF	CPVC FTNG	1/2" MALE FITTING	16.25
MM-500PEX	PEX BARB TEE	1/2" PEX BARB FITTING	15.15
MM-500PEX19	PEX UPONOR MINI	1/2" PEX BARB FITTING	15.15
MM-500ST	SWEAT TEE	1/2" SWEAT X 1/2" SWEAT	16.45



ASSE and IAPMO Certified.

## “MINI-MAX”™ ANGLE STOP (SINGLE FIXTURE) WITH ARRESTOR (CHROME PLATED) “AA”

PART NUMBER	DESCRIPTION	SIZE	LIST PRICE
		<b>LEAD FREE</b>	
MM-500ASTHLK	THREADED (Loose Key)	1/2"	\$ 110.00
MM-500ASCPLK	COMP. (Loose Key)	5/8"	110.00
MM-500ASCP	COMPRESSION	5/8"	49.00
MM-500ASTH	THREADED (FIP)	1/2"	49.00



## “MINI-MAX”™ LAUNDRY/ICE MAKER BOX ASSEMBLY

PART NUMBER	DESCRIPTION	LIST PRICE
MM-500PLB	PLASTIC LAUNDRY BOX	\$ 65.00
MM-500MLB	METAL LAUNDRY BOX	89.00
MM-500PLBFR	PLASTIC LAUNDRY BOX (Fire Rated)	117.00
MM-500PIMB	PLASTIC ICE MAKER BOX	56.00
MM-500MIMB	METAL ICE MAKER BOX	64.00
MM-500PIMBFR	PLASTIC ICE MAKER BOX (Fire Rated)	98.00

**LEAD FREE**



All Laundry Valve connections are 1/2" NPT, 1/2" PEX, or 1/2" Sweat x 3/4" Hose.  
 All Ice Maker Valve connections are 1/2" NPT, 1/2" PEX, or 1/2" Sweat x 1/4" Comp.  
**ASSE and IAPMO Certified. Meets CA low lead requirements.**

# SPECIAL FLUID ARRESTORS

## WATER HAMMER ARRESTOR (NICKEL PLATED)

PART NUMBER	DESCRIPTION	SIZE (N.P.T.)	LIST PRICE
SNP-500	ELECTROLESS	1/2"	\$ 49.00
SNP-750	NICKEL PLATED	3/4"	53.00
SNP-1000	"	1"	60.00
SNP-1250	"	1"	120.00
SNP-1500	"	1"	130.00
SNP-2000	"	1"	350.00

LEAD FREE



Normal operating pressure 35 to 250 PSIG. Spike pressure 400 PSIG.  
 For use in corrosive application. Manufacturing leadtime: 4-6 weeks from date of order. Larger sizes available and quoted separately.  
 BSP Threads also available. **NOTE: THESE ARE SPECIAL ORDER AND CAN NOT BE RETURNED.**

## WATER HAMMER ARRESTOR (316 STAINLESS STEEL)

PART NUMBER	DESCRIPTION	SIZE (N.P.T.)	LIST PRICE
SS-500316	316 STAINLESS STEEL	1/2"	\$ 70.00
SS-750316	"	3/4"	80.00
SS-1000316	"	1"	95.00
SS-1250316	"	1"	164.00
SS-1500316	"	1"	210.00
SS-2000316	"	1"	370.00

LEAD FREE



Normal operating pressure 35 to 500 PSIG.  
 Spike pressure not to exceed 2,000 PSIG. for 316SS  
 For use with corrosive application or where high pressures are possible.  
 Manufacturing leadtime: 6-8 weeks from date of order.

**ASSE and IAPMO Certified. Meets CA low lead requirements.**

## WATER HAMMER ARRESTORS (FLANGE)\*

PART NUMBER	BOLT OPENING	DESCRIPTION	LIST PRICE
<b>COPPER/BASS</b>			
<b>(CLASS 150)</b>			
SCS-3000FLG	3/4" - 4	3" FLG X 3" BORE	\$ 700.00
SCS-4000FLG	3/4" - 4	4" FLG X 4" BORE	1,124.00
SCS-5000FLG	7/8" - 8	5" FLG X 5" BORE	2,400.00
SCS-6000FLG	7/8" - 8	6" FLG X 6" BORE	4,560.00
SCS-8000FLG	7/8" - 8	8" FLG X 8" BORE	12,000.00
<b>316 STAINLESS STEEL (CLASS 300)</b>			
SS-3000316FLG	3/4" - 8	3" FLG X 3" BORE	\$ 1,543.00
SS-4000316FLG	3/4" - 8	4" FLG X 4" BORE	2,500.00
SS-5000316FLG	3/4" - 8	5" FLG X 5" BORE	6,000.00
SS-6000316FLG	3/4" - 12	6" FLG X 6" BORE	9,200.00
SS-8000316FLG	3/4" - 12	8" FLG X 8" BORE	14,000.00

COPPER/BASS 316 STAINLESS STEEL



CLASS 150

CLASS 300

\*Allow 8-10 weeks for delivery. Class 300 arrestors are non-returnable and non-cancelable.

## WATER HAMMER ARRESTORS (PIGMENTED CPVC)

PART NUMBER	DESCRIPTION	SIZE (N.P.T.)	LIST PRICE
CPVC-500	SCH.#80 GREY	1/2"	\$ 135.00
CPVC-750	"	3/4"	150.00
CPVC-1000	"	1"	190.00
CPVC-1500	"	1 1/2"	330.00
CPVC-2000	"	2"	500.00
CPVC-3000	"	3"	1,100.00
CPVC-4000	"	4"	2,636.00 the

LEAD FREE



Normal operating pressure 100 PSIG. For use in distilled and triple distilled application, and high temperature water systems not to exceed 100°F, or where corrosive conditions may be present.

Pigmented CPVC conforms to ASTM standards: 1784 for materials and F-441 for pipe.

CPVC (Hi-Temp) = Type IV Grade 1 = 4120 = cell classification 23447-B

Manufacturing leadtime: 3-6 weeks from date of order.

NOTE: CPVC ARRESTORS ARE NON-RETURNABLE AND NON-CANCELABLE.

## WATER HAMMER ARRESTOR (HIGH PRESSURE WITH FILLER CAP)

PART NUMBER	DESCRIPTION	SIZE (N.P.T.)	LIST PRICE
HPC-500	COPPER/BRASS	1/2"	\$ 145.00
HPC-750	"	3/4"	150.00
HPC-1000	"	1"	180.00
HPC-1250	"	1"	220.00
HPC-1500	"	1"	230.00
HPC-2000	"	1"	450.00



Normal operating pressure 35 to 500 PSIG. Spike pressure 2,000 PSIG.

For use on potable water systems where extreme pressure is possible.

Manufacturing leadtime: 4-6 weeks from date of order. Available in BSP threads quoted separately.

NOTE: THESE ARE NON-RETURNABLE AND NON-CANCELABLE.

# MANUALLY OPERATED TRAP PRIMER

## FLUSH VALVE PRIMER

PART NUMBER	DESCRIPTION	LIST PRICE
FVP-1VB	17 GA. PRIMING TUBE W/VACUUM BREAKER	\$ 100.00

The Flush Valve Primer is for use in fresh water floor drain trap priming requirements. It will provide a fresh water prime each time the flushometer valve is activated. The unit comes complete with an integral vacuum breaker, a 1/2" x 12" chrome plated brass fresh water make-up line, and a 1/2" escutcheon 3/8" NPT x 1/2" Comp.

ASSE and IAPMO Certified.




## WALKER CLOSET PRIMER

PART NUMBER	DESCRIPTION	LIST PRICE
WCP-1	BALL COCK PRIMING ASSEMBLY	\$ 69.00

The Walker Closet Primer is designed for use in fresh water floor drain trap priming requirements.

It will provide an automatic fresh water prime each time the flush valve is activated in a water closet, thus priming a single drain up to twenty (20) feet away. A 1/2" brass compression fitting is provided with each primer.

ASSE and IAPMO Certified.



## TAIL PIECE TRAP PRIMER

PART NUMBER	DESCRIPTION	LIST PRICE
LTP-1500	P-Trap Primer	\$ 120.00

The Tail Piece Trap Primer utilizes the drain water in the p-trap from lavatories and similar fixtures to prime a floor drain in the immediate vicinity. As the fixture is being used, a small amount of water overflows into the make-up line, and gravity directs the over flow to the appropriate floor drain trap assuring that the trap seal is maintained. ASSE and IAPMO Certified.





# PRESSURE DROP ACTIVATED TRAP PRIMER

## AUTOMATIC TRAP PRIMER VALVES (1/2" INLET/OUTLET) (PRESSURE DROP TYPE)

PART NUMBER	DESCRIPTION	LIST PRICE
PR-500NP	PRIME-RITE™ (NICKEL PLATED)	\$ 70.00
PR-500SS	PRIME-RITE™ (STAINLESS STEEL)	128.00
PR-500	PRIME-RITE™ PRIMER	65.00
P1-500	P-1 PRIMER™	71.00
P2-500	P-2 PRIMER™	67.00
PO-500	OREGON #1™ PRIMER	61.00
CPO-500	DUAL FLOW™ (COPPER)	69.00



For use on fresh water floor drain trap primer requirements. Automatically operates on 10 pound pressure drop. **Effective operating range 20 to 80 PSIG.** Valves are installed on cold fresh water lines of 1/2" diameter or less. **ASSE and IAPMO Certified.**

# FLOW ACTIVATED TRAP PRIMER

## PRIME-PRO TRAP PRIMER

PART NUMBER	DESCRIPTION	LIST PRICE
PRO1-500	1/2" FIP LOW - LEAD BRASS TRAP PRIMER	<b>LEAD FREE</b> \$ 84.00
PRO1-ULP500	1/2" CHROME PLATE UNDER-LAV TRAP PRIMER ASSY	190.00




The Prime-Pro is activated when sensing potable water flowing at an adjacent plumbing fixture. This trap priming device must be installed on the cold water line leading to the plumbing fixture. Providing potable water to the trap seal is essential in preventing sewer gas escape and bacteria growth. The valve is activated at any flow rate at **20 PSIG ASSE and IAPMO Certified. Meets CA low lead requirements.**

# ELECTRONIC FLOOR DRAIN TRAP PRIMERS

## MINI-PRIME™ (ELECTRONIC TRAP PRIMER)(1/2" NPT INLET)(USE WITH DISTRIBUTION UNITS)

PART NUMBER	DESCRIPTION	LIST PRICE
MP-500-12V	12 VOLT BATTERY OPERATED	\$ 780.00
MP-500-24V	24 VOLT	550.00
MP-500-115V	115 VOLT	550.00
MPB-500-12V	12 V BATTERY OPERATED W/NEMA 1 BOX	950.00
MPB-500-24V	24 VOLT W/NEMA 1 BOX	730.00
MPB-500-115V	115 VOLT W/NEMA 1 BOX	730.00



220 Volt 50Hz available upon request. Purchase distribution units separately. **UL, ASSE and IAPMO Certified. Meets CA low lead requirements.**

## SOLO-PRIME™ (ELECTRONIC TRAP PRIMER) (1/2" NPT INLET)(USE WITH DISTRIBUTION UNITS)

PART NUMBER	DESCRIPTION	LIST PRICE
SP-500-24V	24 VOLT	\$ 230.00
SP-500-115V	115 VOLT	\$ 230.00
SMP-500-24V	24 VOLT	\$ 340.00
SMP-500-115V	115 VOLT	\$ 340.00
SMP-500-220V	220 VOLT	\$ 340.00



Purchase distribution units separately. Primes 1 to 4 floor drains. Use access door D-814PC/SS or F-814PC/SS. **IAPMO Certified. Meets CA low lead requirements.**

**PRIME-TIME™ ELECTRONIC TRAP PRIMER 115 VOLT (FLUSH MOUNT)  
(3/4" FNPT INLET & 1/2" OR 5/8" COMPRESSION OUTLET)**

PART NUMBER	DESCRIPTION	LIST PRICE
-------------	-------------	------------

**CABINET DIMENSION: MODEL PT-4 – PT-12  
ID WIDTH 14" X LENGTH 16" X DEPTH 3 3/8"**

PT-4	4 OPENING MANIFOLD W/BOX	\$ 1,100.00
PT-6	6 OPENING MANIFOLD W/BOX	1,118.00
PT-8	8 OPENING MANIFOLD W/BOX	1,150.00
PT-10	10 OPENING MANIFOLD W/BOX	1,160.00
PT-12	12 OPENING MANIFOLD W/BOX	1,180.00


(D1416 Access Door Required. See page 11)

**CABINET DIMENSION: MODEL PT-1320  
ID WIDTH 20 1/2" X LENGTH 16 1/2" X DEPTH 3 3/8"**

PT-1320	13 to 20 OPENING MANIFOLD W/BOX (D1620 Access Door Required. See page 11)	\$ 1,380.00
---------	--	-------------

**CABINET DIMENSION: MODEL PT-2130  
ID WIDTH 30 1/2" X LENGTH 20 1/2" X DEPTH 3 3/8"**

PT-2130	21 to 30 OPENING MANIFOLD W/BOX (D2030 Access Door Required. See page 11)	\$ 1,500.00
---------	--	-------------



(FLUSH MOUNT)

An electrically operated solenoid priming manifold with 1/2" or 5/8" compression outlet. An adjustable timer releases fresh water once every 24 hours to maintain floor drain trap seal. **NOTE: ADD 10% SURCHARGE FOR FIRE RATED ENCLOSURE., NON RETURNABLE OR CANCELLABLE, UL, ASSE and IAPMO Certified. 220 Volt, 50Hz available at additional cost.**

**PRIME-TIME™ ELECTRONIC TRAP PRIMER 115 VOLT (SURFACE MOUNT)  
(3/4" FNPT INLET & 1/2" OR 5/8" COMPRESSION OUTLET) (NEMA TYPE 1 CABINET)**

PART NUMBER	DESCRIPTION	LIST PRICE
-------------	-------------	------------

PTS-4	4 OPENING MANIFOLD W/BOX	\$ 1,130.00
PTS-6	6 OPENING MANIFOLD W/BOX	1,145.00
PTS-8	8 OPENING MANIFOLD W/BOX	1,180.00
PTS-10	10 OPENING MANIFOLD W/BOX	1,190.00
PTS-12	12 OPENING MANIFOLD W/BOX	1,210.00
PTS-1320	13 to 20 OPENING MANIFOLD W/BOX	1,350.00
PTS-2130	21 to 30 OPENING MANIFOLD W/BOX	1,420.00

(SURFACE MOUNT)



An electrically operated solenoid priming manifold with 1/2" or 5/8" compression outlet. An adjustable timer releases fresh water once every 24 hours to maintain floor drain trap seal. Access cover included. 12" x 12" x 4" NEMA 1 Box. UL, ASSE, and IAPMO Listed. **220 Volt, 50Hz available at additional cost.**

## ELECTRONIC PRIMING REPLACEMENT PARTS

PART NUMBER	DESCRIPTION	LIST PRICE
TBX-3-24V	CONTROL BOX with TIMER BOX 24 Volt	\$ 318.00
TBX-3-115V	CONTROL BOX with TIMER BOX 115 Volt	318.00
TMR-ADJ	TIMER- Specify 24 Volt or 115 Volt	150.00
TMR-12V	TIMER- 12 VOLT	150.00
TMR SMP-24V	TIMER- for Smart Prime	225.00
PTSV-1-115V	SOLENOID VALVE for Prime-Time PT and PTS	380.00
MPSV-1-12V	SOLENOID VALVE for Mini-Prime 12v	320.00
MPSV-1-24V	SOLENOID VALVE for Mini-Prime 24v	150.00
MPSV-1-115V	SOLENOID VALVE for Mini-Prime 115v	150.00
WA-MP	WIRING HARNESS MP SERIES	37.60
WA-MP	WIRING HARNESS MPB SERIES	37.36
WA-MP	WIRING HARNESS PT SERIES	31.56
WA-MP	WIRING HARNESS PTS SERIES	37.36
MSPAG-500	COPPER AIR GAP for Mini-Prime and Solo Prime	36.00
AG-500P-MPB	COMPOSITE AIR GAP for MPB	25.00
VAC-1	VACUUM BREAKER for Prime-Time PT and PTS	45.00
VAC-1CA	CASH ACME VACUUM BREAKER REPAIR Kit	5.00
PB 12V	12V BATTERY PACK	115.00
MC500	1/2" MANIFOLD OUTLET CAP	4.25
MC625	5/8" MANIFOLD OUTLET CAP	4.40



## TRAP SEAL PROTECTION DEVICES

### PRO-DRAIN TRAP SEAL

PART NUMBER	DESCRIPTION	LIST PRICE
PDS-2000	2" FLOOR DRAIN	\$ 58.00
PDS-3000	3" FLOOR DRAIN	60.00
PDS-4000	4" FLOOR DRAIN	72.00





## TRAP PRIMER DISTRIBUTION UNITS


PART NUMBER	DESCRIPTION	LIST PRICE
DU-4	4 OPENING COPPER UNIT	\$ 49.00
DU-4-500	4 OPENING COPPER UNIT W/1/2" COMP. FITTING	65.00
DU-4-625	4 OPENING COPPER UNIT W/5/8" COMP. FITTING	72.00
DU-U	4 OPENING MOLDED UNIT	34.00
DU-U-500	4 OPENING MOLDED UNIT W/1/2" COMP. FITTING	37.00
DU-U-625	4 OPENING MOLDED UNIT W/5/8" COMP. FITTING	40.00
DU-1	CLEAR PLASTIC LID	5.15



When ordering distribution units the compression fitting size must be specified. 1/2" compression fittings for 3/8" ID or 5/8" compression fittings for 1/2" ID copper tube are supplied with each distribution unit. **IAPMO Certified.**

## FLUID DISTRIBUTION MANIFOLDS

PART NUMBER	DESCRIPTION	LIST PRICE
PM-2	2 OPENING MANIFOLD	\$ 81.00
PM-4	4 OPENING MANIFOLD	131.00
PM-6	6 OPENING MANIFOLD	181.00
PM-8	8 OPENING MANIFOLD	230.00
PM-10	10 OPENING MANIFOLD	280.00
PM-12	12 OPENING MANIFOLD	326.00
PM-14	14 OPENING MANIFOLD	376.00
PM-16	16 OPENING MANIFOLD	426.00
PM-18	18 OPENING MANIFOLD	475.00
PM-20	20 OPENING MANIFOLD	525.00
PM-22	22 OPENING MANIFOLD	575.00
PM-24	24 OPENING MANIFOLD	625.00
PM-26	26 OPENING MANIFOLD	674.00
PM-28	28 OPENING MANIFOLD	724.00
PM-30	30 OPENING MANIFOLD	774.00



Manifolds for fresh water distribution to multiple floor drain traps.

## AIR GAP FITTINGS

PART NUMBER	DESCRIPTION	LIST PRICE
AG-500	1/2" MPT x FPT, COPPER	\$ 36.00
RVAG-750CS	3/4" x 1 1/2" SWEAT	60.00
RVAG-750TH	3/4" MPT x 1 1/2" FPT	96.00



Prevent cross connections when installing relief valve assemblies discharging directly to drain receptors. For use with hot water heaters, water softeners, any appliance using potable water without back-flow protection.

## TEMPERA™ PRESSURE BALANCING VALVE (1/2" FPT)

PART NUMBER	DESCRIPTION	LIST PRICE
TRB-2	BRASS BALANCING VALVE	\$ 115.00
TCP-2	CHROME BALANCING VALVE	210.00
TRB-2HLS	BRASS BALANCING VALVE w/HIGH LIMIT STOP	144.00
TCP-2HLS	CHROME BALANCING VALVE w/HIGH LIMIT STOP	245.00



The Tempera is standard with 1/2" FPT connection. It is a highly sensitive pressure balanced valve designed to hold pre-selected water temperature to within 3°F. Internal parts are constructed of electropolished 303 stainless steel surrounded by a red-bronze cast body containing over 85% ingot copper. **SAE 40 ASTM B62-52. Valves are Certified by ASSE & IAPMO.**

## TEMP-DE-TECH™ (THERMOSTATIC SHOWER VALVE)

PART NUMBER	DESCRIPTION	LIST PRICE
TSV-500	1/2" CHROME SHOWER VALVE	\$ 49.00
TLV-500	1/2" CHROME LAV VALVE	58.00
TFV-500TH	1/2" THREADED TUB FILLER VALVE	49.00



If the water temperature at the shower head exceeds 120°F, the TEMP-DE-TECH shower valve will shut down the flow to a trickle. To reset, turn the shower to a lower temperature, the valve will open again as the water cools. **ASSE Certified.**

## TEMPERA-THERM™

PART NUMBER	DESCRIPTION	LIST PRICE
TRB-1T	PRESSURE BALANCING VALVE W/PTMV-500-70 MIXING VALVE KIT	\$ 300.00
TRB-2T	PRESSURE BALANCING VALVE W/PTMV-750-70 MIXING VALVE KIT	300.00
TRB-3T	PRESSURE BALANCING VALVE W/PTMV-1000-70 MIXING VALVE KIT	350.00

LEAD FREE



Thermostatic/Pressure Balance Valve kits for two & three handle bath and shower trim sets to maintain a constant temperature control of 120°F MAX. Valve combinations provide suitable flow rates for normal residential needs. **ASSE and IAPMO Certified.**

## PRECISION PRIMING ADAPTOR WITH COMPRESSION

PART NUMBER	DESCRIPTION (ABS X COMP.)	PART NUMBER	DESCRIPTION (PVC X COMP.)	LIST PRICE
PPA-2A375	2" X 3/8"	PPA-2P375	2" X 3/8"	\$ 19.00
PPA-3A375	3" X 3/8"	PPA-3P375	3" X 3/8"	24.00
PPA-4A375	4" X 3/8"	PPA-4P375	4" X 3/8"	32.00
PPA-2A500	2" X 1/2"	PPA-2P500	2" X 1/2"	19.00
PPA-3A500	3" X 1/2"	PPA-3P500	3" X 1/2"	24.00
PPA-4A500	4" X 1/2"	PPA-4P500	4" X 1/2"	32.00
PPA-2A625	2" X 5/8"	PPA-2P625	2" X 5/8"	19.00
PPA-3A625	3" X 5/8"	PPA-3P625	3" X 5/8"	24.00
PPA-4A625	4" X 5/8"	PPA-4P625	4" X 5/8"	32.00



All fittings will cement inside a standard P-trap fitting. A 3/8", 1/2", or 5/8" brass compression fitting is provided for trap primer line connection. **IAPMO Certified.**

## THERMOSTATIC MIXING VALVE

PART NUMBER	DESCRIPTION	LIST PRICE
PTMV-500-70	1/2" SWEAT, CPVC, PEX	\$ 180.00
PTMV-750-70	3/4" SWEAT, CPVC, PEX	180.00
PTMV-500-17	1/2" SWEAT, CPVC, PEX	\$ 160.00
PTMV-750-17	3/4" SWEAT, CPVC, PEX	160.00
PTMV-1000-17	1" SWEAT	200.00



LEAD FREE



Temperature range 95°F to 140°F. Maximum flow rates for 1/2" valve 13 GPM and 3/4" 15 GPM. Valves are Certified ASSE and IAPMO

NOTE: PTMV-1000 MODELS DO NOT HAVE A CHECK VALVE.

## BAC-2-BAC MANIFOLDS™

PART NUMBER	DESCRIPTION	LIST PRICE
MA-2	*MODEL #2	\$ 190.00
MU-2	*MODEL #2	180.00

LEAD FREE



(MA) Manifold assembled. (MU) Manifold un-assembled.  
Model #2 Bac-2-Bac for use with 1/2", 3/4" and 1" riser.  
Please consult specifications when ordering Bac-2-Bac manifold fittings.

## CLEAR-FLOW (DIELECTRIC FITTINGS)

PART NUMBER	DESCRIPTION	SIZE (NOM)	BOX COUNT	LIST PRICE
19100P		1/2"	25	\$ 13.15
19125P	THREAD	3/4"	25	13.20
19145P	X	1"	25	20.00
19155P		1 1/4"	10	29.25
19165P	THREAD	1 1/2"	10	32.85
19175P		2"	10	40.10
19180P		2 1/2"	6	55.00
19185P		3"	6	100.00
19195P		4"	6	134.50
19146P	GROOVED	1"	25	25.25
19156P		1 1/4"	10	33.85
19166P	X	1 1/2"	10	39.10
19176P	THREAD	2"	10	40.10
19181P		2 1/2"	6	55.15
19186P		3"	6	99.75
19196P		4"	6	134.50

LEAD FREE



## NEW

19200P	GROOVED	2"	10	40.10
19201P	X	2 1/2"	6	55.15
19202P	GROOVED	3"	6	99.75
19203P		4"	6	134.50

ASSE and IAPMO Certified.

# ACCESS DOORS

## ACCESS DOORS (DRY WALL SERIES)

PART NUMBER	DESCRIPTION	LIST PRICE
D-88PC	8" X 8" PRIME COAT	\$ 65.00
D-814PC	8" X 14" PRIME COAT	55.00
D-1212PC	12" X 12" PRIME COAT	64.00
D-1416PC	14" X 16" PRIME COAT	72.00
D-1620PC	16" X 20" PRIME COAT	125.00
D-2030PC	20" X 30" PRIME COAT	195.00
D-2424PC	24" X 24" PRIME COAT	170.00
D-88SS	8" X 8" STAINLESS STEEL	130.00
D-814SS	8" X 14" STAINLESS STEEL	140.00
D-1212SS	12" X 12" STAINLESS STEEL	180.00
D-1416SS	14" X 16" STAINLESS STEEL	180.00
D-1620SS	16" X 20" STAINLESS STEEL	290.00
D-2030SS	20" X 30" STAINLESS STEEL	510.00
D-2424SS	24" X 24" STAINLESS STEEL	500.00



## ACCESS DOORS (FIRE RATED)

PART NUMBER	DESCRIPTION	LIST PRICE
F-88PC	8" X 8" PRIME COAT	\$ 210.00
F-814PC	8" X 14" PRIME COAT	210.00
F-1212PC	12" X 12" PRIME COAT	220.00
F-1416PC	14" X 16" PRIME COAT	350.00
F-1620PC	16" X 20" PRIME COAT	SPECIAL ORDER
F-2030PC	20" X 30" PRIME COAT	SPECIAL ORDER
F-2424PC	24" X 24" PRIME COAT	350.00
F-88SS	8" X 8" STAINLESS STEEL	415.00
F-814SS	8" X 14" STAINLESS STEEL	320.00
F-1212SS	12" X 12" STAINLESS STEEL	480.00
F-1416SS	14" X 16" STAINLESS STEEL	515.00
F-1620SS	16" X 20" STAINLESS STEEL	SPECIAL ORDER
F-2030SS	20" X 30" STAINLESS STEEL	SPECIAL ORDER
F-2424SS	24" X 24" STAINLESS STEEL	675.00




The 8 x 8 door is recommended for use with both single arrestor and primer application. The 8 x 14 door is recommended for use with primer and distribution unit combination application. Add on charges for other locks are: Cylinder Lock (CL) \$18.00 and Allen Key Latch (AKL) \$7.00. The Screw Driver Latch (SDL) is standard.


**NOTE: Special Order Doors are Non-Cancelable and Non-Returnable.**

# MANIFOLDS AND ACCESSORIES


## 1" COPPER MANIFOLDS W/SWEAT BRANCH (2 1/2" OC)

10002500	2 Loop 1" X 1/2" Plain Drop		\$ 19.90
10003500	3 Loop 1" X 1/2" Plain Drop		24.25
10006500	6 Loop 1" X 1/2" Plain Drop		40.95
100012500	12 Loop 1" X 1/2" Plain Drop		70.85


## 1" COPPER MANIFOLDS W/BRASS PEX BARB (2 1/2" OC)

10002500 PB	2 Loop 1" X 1/2" PEX Barb		\$ 20.75
10003500 PB	3 Loop 1" X 1/2" PEX Barb		25.35
10006500 PB	6 Loop 1" X 1/2" PEX Barb		42.70
100012500 PB	12 Loop 1" X 1/2" PEX Barb		77.30

## 1" COPPER MANIFOLDS W/1/2" BALL VALVE PEX BARB (2 1/2" OC)

10002500 PBBV	2 Loop 1" X 1/2" Ball Valve w/PEX Barb		\$ 44.40
10003500 PBBV	3 Loop 1" X 1/2" Ball Valve w/PEX Barb		55.65
10006500 PBBV	6 Loop 1" X 1/2" Ball Valve w/PEX Barb		103.85
100012500 PBBV	12 Loop 1" X 1/2" Ball Valve w/PEX Barb		198.65

## END PIECE 1/8" & 3/8" AIR VENTS

1000125 EP	1" X 1/8" End Piece		\$ 17.20
1000375 EP	1" X 3/8" End Piece		17.20
1250125 EP	1 1/4" X 1/8" End Piece		25.95
1250375 EP	1 1/4" X 3/8" End Piece		25.95
1500125 EP	1 1/2" X 1/8" End Piece		30.45
1500375 EP	1 1/2" X 3/8" End Piece		30.45
1000125-500 EP	1" X 1/8" Ftg X 1/2" Ftg End Piece		22.25
1250125-500 EP	1 1/4" X 1/8" Ftg X 1/2" Ftg End Piece		33.00
1500125-500 EP	1 1/2" X 1/8" Ftg X 1/2" Ftg End Piece		35.85
2000125-500 EP	2" X 1/8" Ftg X 1/2" Ftg End Piece		44.75

\* NOTE: Not all manufactures of PEX Barrier tubing meet the dimensional requirements as set forth in ASTM Standards: F876 and F877.



# MANIFOLDS AND ACCESSORIES

## 1" X 1/2" PEX BARB FTG., BELLED & SPUN CLOSED END (2" CTRS)

1003 SBPB	3 Loop 1" x 1/2" PEX Barb ftg., Belled & Spun Clsd End	\$ 25.95
1004 SBPB	4 Loop 1" x 1/2" PEX Barb ftg., Belled & Spun Clsd End	31.55
1005 SBPB	5 Loop 1" x 1/2" PEX Barb ftg., Belled & Spun Clsd End	36.50
1006 SBPB	6 Loop 1" x 1/2" PEX Barb ftg., Belled & Spun Clsd End	41.75
1007 SBPB	7 Loop 1" x 1/2" PEX Barb ftg., Belled & Spun Clsd End	47.00
1008 SBPB	8 Loop 1" x 1/2" PEX Barb ftg., Belled & Spun Clsd End	55.15
1009 SBPB	9 Loop 1" x 1/2" PEX Barb ftg., Belled & Spun Clsd End	56.30
10010 SBPB	10 Loop 1" x 1/2" PEX Barb ftg., Belled & Spun Clsd End	62.40
10012 SBPB	12 Loop 1" x 1/2" PEX Barb ftg., Belled & Spun Clsd End	73.20



## 1" X 1/2" PEX BARB BALL VALVE, BELLED & SPUN CLOSED END (2" CTRS)

1003 SBPBBV	3 Loop 1" x 1/2" PEX Barb Ball Valve, Belled & Spun Clsd End	\$ 56.70
1004 SBPBBV	4 Loop 1" x 1/2" PEX Barb Ball Valve, Belled & Spun Clsd End	72.60
1005 SBPBBV	5 Loop 1" x 1/2" PEX Barb Ball Valve, Belled & Spun Clsd End	87.80
1006 SBPBBV	6 Loop 1" x 1/2" PEX Barb Ball Valve, Belled & Spun Clsd End	103.30
1007 SBPBBV	7 Loop 1" x 1/2" PEX Barb Ball Valve, Belled & Spun Clsd End	118.80
1008 SBPBBV	8 Loop 1" x 1/2" PEX Barb Ball Valve, Belled & Spun Clsd End	137.15
1009 SBPBBV	9 Loop 1" x 1/2" PEX Barb Ball Valve, Belled & Spun Clsd End	148.70
10010 SBPBBV	10 Loop 1" x 1/2" PEX Barb Ball Valve, Belled & Spun Clsd End	165.00
10012 SBPBBV	12 Loop 1" x 1/2" PEX Barb Ball Valve, Belled & Spun Clsd End	196.38



# MANIFOLDS AND ACCESSORIES

## 72" COPPER HEATING MANIFOLDS X 24 DROP (3" OC)

100024500 PBBV	24 Loop 1" X 1/2" PEX Barb W/ Ball Valve	\$ 400.05
100024500 PB	24 Loop 1" X 1/2" PEX Barb	148.90
100024500	24 Loop 1" X 1/2" Plain Drop	150.25
100024750	24 Loop 1" X 3/4" Plain Drop	172.45
125024500	24 Loop 1 1/4" X 1/2" Plain Drop	204.85
125024750	24 Loop 1 1/4" X 3/4" Plain Drop	223.40
150024750	24 Loop 1 1/2" X 3/4" Plain Drop	273.00
200024750	24 Loop 2" X 3/4" Plain Drop	362.95
2000241000	24 Loop 2" X 1" Plain Drop	378.25



## 72" COPPER HEATING MANIFOLDS X 18 DROP (4" OC)

100018750-4	18 Loop 1" X 3/4" Plain Drop	\$ 150.10
125018750-4	18 Loop 1 1/4" X 3/4" Plain Drop	195.50
150018750-4	18 Loop 1 1/2" X 3/4" Plain Drop	238.55
200018750-4	18 Loop 2" X 3/4" Plain Drop	335.05



## 72" COPPER HEATING MANIFOLDS X 12 DROP (6" OC)

100012750-6	12 Loop 1" X 3/4" Plain Drop	\$ 127.75
125012750-6	12 Loop 1 1/4" X 3/4" Plain Drop	167.60
150012750-6	12 Loop 1 1/2" X 3/4" Plain Drop	212.90
200012750-6	12 Loop 2" X 3/4" Plain Drop	307.20



## PRECISION PLUMBING PRODUCTS

# MASTER CARTON QUANTITIES

PART NUMBER	MASTER CARTON QUANTITY	CARTON WEIGHT	CARTON CUBIC FT
SC-500	50	37 LBS.	0.39
SC-500A	50	18 LBS.	0.35
SC-750	50	42 LBS.	0.46
SC-750B	50	28 LBS.	0.35
SC-1000	25	40 LBS.	0.56
SWA-500	50	33 LBS.	0.46
SWA-500A	50	17 LBS.	0.35
SWA-750	50	39 LBS.	0.46
SWA-750B	50	26 LBS.	0.35
MM-500TH	100	27 LBS.	0.35
MM-500SWA	100	25 LBS.	0.35
MM-500L	50	40 LBS.	1.11
MM-500FPF	50	35 LBS.	0.35
MM-5001FCT	50	39 LBS.	0.35
MM-5002FCT	50	40 LBS.	0.35
MM-5003CPT	50	26 LBS.	0.35
P1-500	25	36 LBS.	0.19
P2-500	25	36 LBS.	0.19
PR-500	25	32 LBS.	0.19
PO-500	50	38 LBS.	1.88
PT-4	01	16 LBS.	1.62
PTS-4	01	17 LBS.	1.62
TRB-2	25	42 LBS.	0.39
DU-4	25	18 LBS.	0.56
DU-U	50	21 LBS.	1.62

## ISO 9001:2000 CERTIFIED



## PRECISION PLUMBING PRODUCTS

802 SE 199th Ave • Portland, Oregon 97233 • 503-256-4010

*"Specify with confidence – install with pride"®*

FAX # 503-253-8165

WEB SITE: [www.pppinc.net](http://www.pppinc.net)

Made in the U.S.A.